

12-07-99



12/06/99

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

The Commissioner of Patents & Trademarks
Washington, D.C. 20231DATE: 12-6-1999
OUR CASE NO.: 4432-19

Sir:

PATENT APPLICATION COVER SHEET

Transmitted herewith for filing is the design patent application (including specification, claims and declaration) of:

Inventor: Sachiko NISHIURA

For: APPARATUS AND METHOD FOR CONVERTING AND OBJECT DISPLAY DESCRIPTION DOCUMENT

A. Enclosed are:

Documents: Specification Claims Abstract Declaration
 No. of Pages: [18] [5] [1] [2]
☒ 10 sheets of drawing(s). ☒ Formal ☐ Informal
☒ An assignment to the invention to NEC Corporation
☒ A certified copy of a Japanese Application No. 350290/1998 application.
☐ Claim for priority under 35 USC 119.
☐ Associate Power of Attorney
☒ Citation of Prior Art.
☐ Preliminary Amendment.
☐ Translation with Translator's Declaration.
☒ Check No. 45236 in the amount of \$ 886.00 dated 12/6/99 is enclosed to cover the ☒ filing fee; and ☒ assignment recording fee Check No. 45235 for \$40.00 dated 12/6/99.

B. FILING FEE CALCULATION

- ☐ Before calculating the filing fee, please cancel claims _____.
☐ After adding preliminary amendment claims _____.

SMALL ENTITY STATUS-AFFIDAVIT ATTACHED					LARGE BUSINESS RATE	
For	Number Filed	Number Extra	Rate	Basic Fee \$380.00	Rate	Basic Fee \$760.00
Total Claims	27-20	7 X	\$9	=	\$18	= 126.00
Independent Claims	3-3	0 X	\$39	=	\$78	= 0
Multiple Dependency			\$130	=	\$260	= 0
Total Filing Fee						= 886.00
Assignment Recordal Fee						
Total				\$.00	Total	\$ 886.00

C. SPECIAL INSTRUCTIONS:

☒ If any charges or fees must be paid in connection with the following Communication (including but not limited to the payment of issue fees), they may be paid out of our deposit account No. 12-0064. If this payment also requires a Petition, please construe this authorization to pay as the necessary Petition which is required to accompany the payment.

Respectfully submitted,
LAFF, WHITESEL & SARET, LTD.By:
J. Warren Whitesel

EXPRESS MAIL MAILING LABEL

No: EL381329305US

Date of Deposit: December 6, 1999

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to Box Patent Application, Assistant Commissioner of Patents, Washington, DC 20231. The person mailing this paper/fee is:

SIGNED:
 PRINTED: MIKE FINNEGAN

REGISTRATION

Charles A. Laff	19787
J. Warren Whitesel	16830
Larry L. Saret	27674
Martin L. Stern	28911
Louis Altman	19373
Barry W. Sufrin	27398
Marshall W. Sutker	19962
Jack R. Halvorsen	18394
Kevin C. Trock	37745
Lisa C. Childs	39937
G. Peter Albert, Jr.	37268
Michael B. Allen	37582
William A. Meunier	41193
Jeffrey H. Canfield	34808

LAFF, WHITESEL & SARET, LTD.

Attorneys at Law

401 North Michigan Avenue
 Chicago, Illinois 60611
 PH: (312) 661-2100
 FAX: (312) 661-0029

JWW/dsr

C:\WINDOWS\Favorites\JWW\4432\19\PA COVER.doc

09454755 120699



APPARATUS AND METHOD FOR CONVERTING AN OBJECT DISPLAY DESCRIPTION DOCUMENT

5 BACKGROUND OF THE INVENTION

1. Field of the Invention

654431 554560
The present invention relates to an apparatus and method for
converting an object display description document having functions of spatial
synchronization and time synchronization and more particularly, to an
10 apparatus and method for converting an object display description document
in conformity with such a standard as MHEG (Multimedia and Hypermedia
Expert Group)-5, DHTML (Dynamic Hyper Text Markup Language), and
SMIL (Synchronized Multimedia Integration Language).

2. Description of the Prior Art

15 JPA 9-503088 entitled "APPARATUS AND METHOD FOR
BROWSING INFORMATION" discloses a conventional system for
optimizing data obtained at a viewer or browser for a document described
with an object display description language.

As shown in Fig. 1, this reference exemplifies information browsing
20 system 101 for browsing and organizing information from plural information
sources 123. Knowledge base 109, which includes information source
description 113, worldview 115 and system network view 117, is used for
establishing a query plan including a sub plan. When the query sub plan is
executed, the query plan is optimized by pruning redundant sub plans in
25 accordance with information browsed by the executed sub plan. Graphical

user interface 103 includes a hypertext browser integrated at a knowledge base browser/editor. Graphical user interface 103 allows a user to store an information source description in knowledge base 109 via a graphic operation and to browse information source descriptions previously stored.

5 System 101 provides the use of query results that are constructed for avoiding of inquiring on constructed information sources and of concentrating queries from hypertext browsers on associated data sources that are not constructed. According to the above method, such an object is attained that information needless to inquire is fetched from the information
10 source as seldom as possible.

With respect to an arrangement of sending optimized data from a server, JPA 10-171730 entitled "METHOD OF TRANSFERRING IMAGE" discloses an image transfer method capable of reducing the network load to transfer image data when a high resolution data is required at a client. As
15 shown in Fig. 2, data received at the client is converted into an optimized high-resolution image using image conversion plug-in module 308. In this case, screen resolution setting program 306 is employed to check a resolution of a display device at the client. The result from program 306 is sent to image conversion program 304. The sent data becomes the most easy-to-view and
20 high-qualified image at a browser watched from a reader. Although the optimization at the server side is considered in such a manner, all of servers do not send optimized data. Thus, users are required to display or store received data.

The above conventional technology has the following disadvantages.

25 A first disadvantage may be caused when the user selects necessary

data with reference to its contents and obtains minimal necessary data while the minimal data contains data unnecessary to output or display for the user to the last. In such a case, the viewer or browser is loaded to work for analyzing and displaying the data unnecessary for showing the user.

5 Therefore, a display output is delayed, and a data capacity is increased in case of storing data that also includes unnecessary data.

This is because the conventional viewer/browser has been developed to interpret the data sent from the server and make a display output. Therefore, thus configured viewer/browser analyzes all the obtained data
10 and makes a display output even if all of the data are not required to be displayed because of introduced functions of spatial synchronization and time synchronization.

A second disadvantage is that although the server optimizes individual object data including an image as far as possible, the server does
15 not perform optimization in consideration of a combination of data to be displayed. In this case, the data simply becomes a motion picture (object) group with a plurality of motion pictures (objects) but does not become substantially optimized data when images overlap with each other as the whole data.

20 This is because the server can superimpose the motion pictures and the like at the same time by the functions of spatial synchronization and time synchronization. In addition, when the server makes data to send, it sends the data with information, which indicates superimposition of the corresponding plural motion pictures, to the user.

SUMMARY OF THE INVENTION

In order to overcome the aforementioned disadvantages, the present invention has been made and has an object to provide an apparatus and method for converting an object display description document, capable of
5 reducing load for displaying an image and reducing a capacity necessary for storing document data, and a browser including the apparatus.

According to a first aspect of the present invention, there is provided an apparatus for converting an object display description document, comprising a generating means for generating, from a set of source objects in
10 the document, a set of new objects fewer than said set of source objects, to obtain a display image equivalent to the display image obtained from said set of source objects.

According to a second aspect of the present invention, there is provided a method for converting an object display description document,
15 comprising a generation step of generating, from a set of source objects in the document, a set of new objects fewer than said plurality of source objects, to obtain a display image equivalent to the display image obtained from said set of source objects.

According to a third aspect of the present invention, there is provided
20 a computer program for causing a computer to execute a method for converting an object display description document, said method comprising a generation step of generating, from a set of source objects in the document, a set of new objects fewer than said set of source objects, to obtain a display image equivalent to the display image obtained from said plurality of source
25 objects.

Other features and advantages of the invention will be apparent from the following description of the preferred embodiments thereof.

BRIEF DESCRIPTION OF THE DRAWINGS

5 The present invention will be more fully understood from the following detailed description with reference to the accompanying drawings in which:

Fig. 1 is a block diagram showing a conventional technology;

Fig. 2 is a block diagram showing another conventional technology;

10 Fig. 3 is a block diagram showing a structure of an object display description document converter and image browser according to an embodiment of the present invention;

Fig. 4 is a flowchart showing an operation of the object display description document converter and image browser according to the
15 embodiment of the present invention;

Fig. 5 is a flowchart explaining a detailed operation of display process A8 shown in Fig. 4;

Fig. 6 is a flowchart explaining a detailed operation of saving process A10 shown in Fig. 4;

20 Fig. 7 shows a screen for selecting the use of an optimization function employed at a selecting means 8 and user input means;

Fig. 8 is a table showing the optimization analysis contents analyzed by an optimization analysis means 5 of Fig. 3 and methods and process numbers corresponding to the analysis contents;

25 Fig. 9 is a table showing the contents of an optimization process

executed by an optimization means 6 of Fig. 3;

Fig. 10 exemplifies an input object display description document input from a data input means 1 of Fig. 3;

Fig. 11 exemplifies an optimized object display description document
5 produced from the optimization analysis means 5 and optimization means 6 based on the input object display description document shown in Fig. 10; and

Fig. 12 is a block diagram showing another structure of an object display description document converter and image browser according to an embodiment of the present invention;

10

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In case where a user (client) displays data sent from a sender (server) at a browser or viewer, or the user stores the data, the present invention automatically optimizes the data sent from the sender after it is input. Thus,
15 the present invention provides a system configuration capable of displaying the same contents as the incoming data at a higher speed and of storing the incoming data to a storage with smaller data capacity.

Fig. 3 is a block diagram of an embodiment of the present invention. Fig. 3 shows such a viewer system, in which data input from data input
20 means 1 is saved in input data saving (temporary storing) means 2, then analyzed by data analysis means 3, and output for display from output means 4. The system further comprises optimization analysis means 5, optimization means 6, optimized data saving (temporary storing) means 7, selection means 8, user input means 9 and storage (proper storing) means
25 10.

Selection means 8 allows the user to select whether or not to work an optimization function. When the user selects from user input means 9 to put on the optimization function, optimization analysis means 5 analyzes if there is a portion capable of being optimized in the data saved in input data saving means 2. Optimization means 6 performs an optimization process and thereafter saves optimized data into optimized data saving means 7. In case of displaying the saved data, it is analyzed by data analysis means 3 and displayed at output means 4. In case of storing the saved data, it is stored in storage means 10. When the user selects to put off the optimization function, the input data is analyzed by data analysis means 3 and displayed at output means 4 or stored in storage means 10. The optimization processes herein mean optimization processes corresponding to the time synchronization/spatial synchronization, which include a process for deleting objects hidden behind the other object that is spatially displayed at the uppermost location and hides the objects to be deleted in time and spatially, for example. It also includes a process for deleting an object to be displayed in a range exceeding a time for display in time, and a process for making one motion picture object from plural superimposed motion picture objects.

Thus, by automatically optimizing the obtained data at the viewer or browser to improve the data in consideration of display by the viewer or browser, the very same contents as the obtained data can be displayed at a high speed and stored in compact.

Fig. 3 is a block diagram of an embodiment of an automatic optimization display and storing system according to the present invention.

The system comprises data input means 1, input data saving means 2, data

analysis means 3 and output means 4, optimization analysis means 5, optimization means 6, optimized data saving means 7, selection means 8, user input means 9, and storage means 10.

An operation of each part will be described next.

5 Data input means 1 inputs data of contents. Input data saving means 2 saves the input data. Data analysis means 3 analyzes the data based on a format with which the data was produced. Output means 4 displays or prints out the analyzed data. Optimization analysis means 5 performs an analysis for searching data to optimize and optimization means 6 optimizes the data.
10 Optimization analysis means 5 and optimization means 6 operate in multi-process in association with each other. Optimized data saving means 7 saves the optimized data. Selection means 8 outputs information associated with allowing the user to select whether or not to employ the optimization as a function and reflects the user's selection. User input means 9 accepts the
15 selection input that indicates whether the user employs the optimization function from the user. Storage means 10 stores the data and is such as a hard drive and the like.

The whole operation of the embodiment will be described in detail with reference to Figs. 3 and 4 next.

20 First, it is executed to input data from data input means 1 (at step A1). Next, it is executed to save the input data in input data saving means 2 (at step A2).

The optimization function has been previously selected to put on or off by the user from selection means 8 and user input means 9. If the user
25 selected to put on the optimization function (YES at step A3), optimization

analysis means 5 and optimization means 6 operate in association with each other so that optimization analysis means 5 searches data to be optimized among the data saved in input data saving means 2 and optimization means 6 optimizes the data to be optimized (at step A4). When optimization
5 analysis means 5 finally detects that no data remains to be optimized, the optimized data is saved in optimized data saving means 7 (at step A6). If the user selected to put off the optimization function (NO at step A3), steps A4 and A6 are omitted. Next, it is executed to determine to display or not (at step A7). If determined to display, a display process is performed (step A8). If
10 determined not to display, the process advances to a determination of saving (at step A9). If determined to save, a saving process is performed (at step A10) and then the process ends. If determined not to save, the process directly ends.

An embodied example will be described next.

15 Fig. 5 is a flowchart of an embodied example of display process A8. Fig. 6 is a flowchart of an embodied example of saving process A10. Fig. 7 shows an example of a screen for use in allowing the user to select ON or OFF of the optimization function. Fig. 8 shows an embodied example of the contents to be analyzed at optimization analysis means 5. Fig. 9 shows an
20 embodied example of the contents of process executed at optimization means 6. Fig. 10 exemplifies the data saved in input data saving means 2. Fig. 11 exemplifies the data saved in optimized data saving means 7.

The case where the optimization function is OFF will be described first employing an embodied example. It is executed to input data from data
25 input means 1 (A1). The input data, which is referred with numeral 81 as

shown in Fig. 10, includes:

<Start of data>

<Display all of the following data from 0 to 10 min.>

<Still picture file AAA, Display from 5 min. to 10 min., Coordinates (10, 10),

5 Size 20×30 , Priority 2>

<Text file BBB, Display from 7 min. to 9 min., Coordinates (10, 10), Size 10×10 , Priority 3>

<Motion picture file CCC, Display from 5 min. to 10 min., Coordinates (10, 10), Size 20×40 , Priority 1, Translucent>

10 <Motion picture file DDD, Display from 15 min. to 20 min., Coordinates (0, 0), Size 10×10 , Priority 1>

<End of data>

Input data saving means 2 saves this data (A2). If the optimization function is OFF (NO at A3), then the process advances to the determination of display (A7). If the display is not required, then the process advances to the determination of saving (A9). If the display is required, then the display process is performed (A8).

Fig. 5 shows a flow of display process A8. As the optimization display is OFF (NO at B1), it is executed to directly select the input data from input data saving means 2 (B3). Then, it is executed to analyze the input data by data analysis means 3 (B4) and to display the analyzed data at output means 4 (B5).

In this case, data analysis means 3 analyzes the data contents of <Start of data> as that “data starts here”. It also analyzes the data contents of <Display all of the following data from 0 to 10 min.> as that “start to

display the whole contents from here at 0 min. and finish to display at 10 min.". It further analyzes the data contents of <Still picture file AAA, Display from 5 min. to 10 min., Coordinates (10, 10), Size 20×30 , Priority 2> as that "display a still picture file AAA on a location at coordinates (10, 10) with a size of 20×30 from 5 min. to 10 min. with the second priority from the top". It also analyzes the data contents of <Text file BBB, Display from 7 min. to 9 min., Coordinates (10, 10), Size 10×10 , Priority 3> as that "display a text file BBB on a location at coordinates (10, 10) with a size of 10×10 from 7 min. to 9 min. with the third priority from the top". It further analyzes the data contents of <Motion picture file CCC, Display from 5 min. to 10 min., Coordinates (10, 10), Size 20×40 , Priority 1, Translucent> as that "display a motion picture file CCC in translucent on a location at coordinates (10, 10) with a size of 20×40 from 5 min. to 10 min. with the first priority from the top". It also analyzes the data contents of <Motion picture file DDD, Display from 15 min. to 20 min., Coordinates (0, 0), Size 10×10 , Priority 1> as that "display a motion picture file DDD on a location at coordinates (0, 0) with a size of 10×10 from 15 min. to 20 min. with the first priority from the top". Data analysis means 3 further analyzes the data contents of <End of data> as that "data finishes here" and output means 4 displays the contents of these analyzed results. Next, it is executed to advance to the saving process determination (A9). If not required to save, then a series of process finishes. If required to save, then the process advances to the saving process (A10). Fig. 6 provides a flowchart showing saving process A10. As the optimization saving is determined NO (C1), it is executed to select the data from input data saving means 2 (C3) and to store the selected data into storage means

10 (C4). Then, the storing process finishes and the series of process terminates.

5 An embodied example of the case where the optimization function is ON will be described next. Fig. 7 is an imaging diagram of user display message 51 for allowing the user to select ON or OFF of the optimization function through selection means 8 from user input means 9. In this case, “Use of optimization function” is selected ON, “Use for display” ON, and “Use for saving” OFF. The data denoted with reference numeral 81 of Fig. 10 is input from data input means 1 (A1) and saved in input data saving means 2 (A2). Then, the process advances to YES through determining if the optimization function being ON (YES at A3). Optimization analysis means 5 analyzes to optimize and optimization means 6 performs the optimization process. An embodied example of the optimization analysis performed by optimization analysis means 5 is shown in Fig. 8 with reference numeral 61, 10 by which the contents are analyzed in consideration of time synchronization and spatial synchronization.

If the analysis contents are that “1. Plural objects superimpose, display times for other objects are completely included within a display time for the uppermost object, a size of the uppermost object is larger than sizes of 20 other objects, and the uppermost object hides other objects even considering display locations”, 1-1 or 1-2 is adaptive:

1-1. If the uppermost object is not transparent nor translucent, then Process 1 is selected for other objects (see Fig. 9); and

1-2. If the uppermost object is transparent or translucent, then it is 25 executed to remove the uppermost object and analyze analysis contents 1 for

the remaining plural objects. The term “removing” herein differs from the term “deleting” used in Process 1 and means to remove from objects to be analyzed.

If the analysis contents are that “2. Plural objects superimpose in
5 time and spatially, and the uppermost object is translucent or transparent”,
2-1 or 2-2 is adaptive:

2-1. If a motion picture is contained, it is executed to select Process 2
for all objects over the entire superimposing time; and

2-2. If no motion picture is contained, it is executed to select Process
10 3 for all objects over the entire superimposing time.

If the analysis contents are that “N. A display time for an object is
completely in excess of the whole display time range”, Process 1 is performed
for that object.

Fig. 9 shows an embodied example imaging of the optimization
15 process contents with reference numeral 71, which includes process numbers
and corresponding process contents: “Process 1” corresponds to “Deleting
object”; “Process 2” to “Making a new motion picture from a motion picture
consisting of plural superimposed objects”; “Process 3” to “Making a new still
picture from a still picture consisting of plural superimposed objects”; and
20 “Process M” to “Contents M”.

The data in the above-embodied example corresponds to the
optimization analysis and optimization process (at step A4 in Fig. 4) as below.
The optimization analysis contents of the data with numeral 81 in Fig. 10
include three object descriptions:

25 <Still picture file AAA, Display from 5 min. to 10 min., Coordinates (10, 10),

Size 20×30 , Priority 2>; <Text file BBB, Display from 7 min. to 9 min.,
Coordinates (10, 10), Size 10×10 , Priority 3>; and <Motion picture file CCC,
Display from 5 min. to 10 min., Coordinates (10, 10), Size 20×40 , Priority 1,
Translucent>. The condition for the data corresponds to “1-2. If the
5 uppermost object is transparent or translucent, then it is executed to remove
the uppermost object and analyze analysis contents 1 for the remaining
plural objects”. Then, it is executed to remove the object at the uppermost
priority: <Motion picture file CCC, Display from 5 min. to 10 min.,
Coordinates (10, 10), Size 20×40 , Priority 1, Translucent>, and analyze
10 objects: <Still picture file AAA, Display from 5 min. to 10 min., Coordinates
(10, 10), Size 20×30 , Priority 2> and <Text file BBB, Display from 7 min. to
9 min., Coordinates (10, 10), Size 10×10 , Priority 3> by the analysis
contents 1. In this case, the process: “1-1. If the uppermost object is not
transparent nor translucent, then selecting Process 1 for other objects” is
15 attached. As a result, the deleting process is performed to the object, <Text
file BBB, Display from 7 min. to 9 min., Coordinates (10, 10), Size 10×10 ,
Priority 3>, as the contents of Process 1: “Deleting object” is applied.

The optimization analysis: “2. Plural objects superimpose in time and
spatially, and the uppermost object is translucent or transparent”, is adapted
20 to two remaining objects: <Still picture file AAA, Display from 5 min. to 10
min., Coordinates (10, 10), Size 20×30 , Priority 2> and <Motion picture file
CCC, Display from 5 min. to 10 min., Coordinates (10, 10), Size 20×40 ,
Priority 1, Translucent>. When adapting 2-1 or 2-2, the result is that “2-1. A
motion picture is contained”. Then, “Process 2 for all objects over the entire
25 superimposing time” is performed. The contents of Process 2 are “Making a

new moving picture from a moving picture consisting of plural superimposed objects". Then, it is executed to make a new motion picture file XXX by superimposing the translucent motion picture file CCC and the still picture file AAA and make a new object: <Motion picture file XXX, Display from 5 min. to 10 min., Coordinates (10, 10), Size 20×40 , Priority 1>.

In spite of the whole display time, <Display all of the following data from 0 to 10 min.> in the input data file with the reference numeral 81, <Motion picture file DDD, Display from 15 min. to 20 min., Coordinates (0, 0), Size 10×10 , Priority 1> is included in the described objects. Therefore, this object is adaptive for the analysis contents: "N. A display time for an object is set completely excessive the whole display time range", and corresponds to "Process 1 for that object". Here, the contents of Process 1 is "Deleting object". Therefore, the object: <Motion picture file DDD, Display from 15 min. to 20 min., Coordinates (0, 0), Size 10×10 , Priority 1> is deleted.

The optimization is finished at the time of exhausting objects to be applied to the optimization analysis contents during the flow as above, and the optimized data is saved in optimized data saving means 7 (A6). The optimized data has such contents as shown in Fig. 11 with reference numeral 91:

<Start of data>;
<Motion picture file XXX, Display from 5 min. to 10 min., Coordinates (10, 10), Size 10×10 , Priority 1>
<End of data>

Next, if it is determined to display the data at the display determination (YES at step A7), the process advances to the display process (step A8). As

shown in Fig. 7, since the user selection is the optimization display, the process advances from step B1 to step B2, and it is executed to select the optimized data with reference numeral 91 saved within optimized data saving means 7. Then, data analysis means 3 analyzes the data (at step B4),
5 and output means 4 displays the analyzed data (at step B5).

Next, if it is determined to save the data at the saving determination (YES at step A9), the process advances to the saving process (step A10). Since the user selection is not to perform the optimization saving (saving the optimized data) as shown in Fig. 7, the process advances from step C1 to step
10 C2, and it is executed to read out the input data from input data saving means 2 to store the input data to storage means 10.

As described above, it is realized that the input data is subjected to automatically optimized display instead of direct display and to direct store. The selections of the input data and the optimized data for display and
15 storing can be freely combined.

Fig. 12 is a block diagram showing the second structure of an apparatus for converting object display description document for performing the method for converting object display description document as explained above. The second structure is of a computer.

20 The second structure comprises CPU 1001, main memory 1002, external storage 1003, input device 1004, interface 1005, display 1006, printer 1007, and bus 1000 connecting CPU 1001, main memory 1002, external storage 1003, input device 1004, interface 1005, display 1006 and printer 1007.

25 CPU 1001 is such as a microprocessor, a microcomputer, and a DSP.

synchronization is integrated in the client such as the viewer/browser. Therefore, all data given from the server are not directly output to display at the viewer or browser. In stead, the optimization, for example, deleting is performed to the objects unnecessary to display over time to the last and the
5 objects hidden behind other object. Thus, the optimized data can be displayed or stored.

A second effect is that a motion-picture (object) group consisting of plural superimposed motion-pictures (objects) sent from the server can be displayed at a comfortable speed and a storing capacity can also be reduced.
10 This is because the viewer/browser performs an optimization to make one object from plural objects including motion pictures in consideration of time synchronization and spatial synchronization before display or saving. Thus, a high-speed display and a small data capacity for storage can be achieved.

Having described the embodiments consistent with the present
15 invention, other embodiments and variations consistent with the present invention will be apparent to those skilled in the art. Therefore, the invention should not be viewed as limited to the disclosed embodiments but rather should be viewed as limited only by the spirit and scope of the appended claims.

Main memory 1002 is such as a RAM. External storage 1003 is such as a hard drive, an optical disc, and a magneto-optical disc. Input device 1004 is such as a computer mouse, a keyboard, and a data tablet. Interface 1005 is such as a communication interface connected to a Web server through the Internet. The display is such as a CRT, and a LCD.

CPU 1001 functions as data analysis means 3, optimization analysis means 5, and optimization means 6 by executing instructions in a computer program. The computer program has been stored in external storage 1003, and is temporarily loaded in main memory 1002 to be fetched from CPU 1001 at the execution time. Main memory 1002 not only temporally stores the computer program but also functions as input data saving means 2, and optimized data saving means 7. External storage 1003 not only stores the computer program but also functions as storage means 10. Input device 1004 functions as user input means 9. Interface 1005 functions as data input means 1. Display 1006 functions as output means 4 and selection means 8. Printer 1007 functions as output means 4.

As described above, according to the present invention, the following effects are achieved.

A first effect is as below. If the data obtained by the user contains unnecessary data to output or display to the last for the user, the viewer or browser is not required to analyze or display the unnecessary data. Therefore, extra load is not produced and an appropriate display output speed can be achieved. In addition, the obtained data can be stored without the unnecessary data in an appropriate capacity if required. This is because an optimization routine in consideration of time synchronization and spatial

What is claimed is:

1. An apparatus for converting an object display description document, comprising a generating means for generating, from a set of source objects in the document, a set of new objects fewer than said set of
5 source objects, to obtain a display image equivalent to the display image obtained from said set of source objects.

2. The apparatus as recited in claim 1, wherein said generating means deletes source objects hidden spatially behind another source object
10 which is not transparent nor translucent.

3. The apparatus as recited in claim 1, wherein said generating means generates a new object based on a transparent or translucent source object and other source objects located at a lower layer than a layer including
15 said transparent or translucent source object therein and spatially overlapping said transparent or translucent source object.

4. The apparatus as recited in claim 3, wherein generation of said new object from said transparent or translucent source object and said
20 other source objects is performed for a time range in which said transparent or translucent source object spatially overlaps said other source objects.

5. The apparatus as recited in claim 1, wherein said generating means deletes a source object when a display time for said source object is
25 out of a display time range for said set of source objects.

66903T 65245460

6. The apparatus as recited in claim 1, further comprising a means for storing said set of new objects to a storage medium.

5 7. The apparatus as recited in claim 1, further comprising a means for selectively storing said set of source objects or said set of new objects to a storage medium.

10 8. The apparatus as recited in claim 1, further comprising a means for displaying said set of new objects, wherein said apparatus is used as a browser.

15 9. The apparatus as recited in claims 1, further comprising a means for selectively displaying said set of source objects or said set of new objects, wherein said apparatus is used as a browser.

20 10. A method for converting an object display description document, comprising a generation step of generating, from a set of source objects in the document, a set of new objects fewer than said set of source objects, to obtain a display image equivalent to the display image obtained from said set of source objects.

25 11. The method as recited in claim 10, wherein said generation step deletes source objects hidden spatially behind another source object which is not transparent nor translucent.

66502T" 65245460

12. The method as recited in claim 10, wherein said generation
step generates a new object based on a transparent or translucent source
object and other source objects located at a lower layer than a layer including
5 said transparent or translucent source object therein and spatially
overlapping said transparent or translucent source object.

13. The method as recited in claim 12, wherein generation of said
new object from said transparent or translucent source object and said other
10 source objects is performed for a time range in which said transparent or
translucent source object spatially overlaps said other source objects.

14. The method as recited in claim 10, wherein said generation
step deletes a source object when a display time for said source object is out
15 of a display time range for said set of source objects.

15. The method as recited in claim 10, further comprising a step
of storing said set of new objects to a storage medium.

20 16. The method as recited in claim 10, further comprising a step
of selectively storing said set of source objects or said set of new objects to a
storage medium.

17. The method as recited in claim 10, further comprising a step
25 of displaying said set of new objects.

18. The method as recited in claims 10, further comprising a step of selectively displaying said set of source objects or said set of new objects.

5 19. A computer program for causing a computer to execute a method for converting an object display description document, said method comprising a generation step of generating, from a set of source objects in the document, a set of new objects fewer than said set of source objects, to obtain
10 a display image equivalent to the display image obtained from said set of source objects.

20. The program as recited in claim 19, wherein said generation step deletes source objects hidden spatially behind another source object which is not transparent nor translucent.

15 21. The program as recited in claim 19, wherein said generation step generates a new object based on a transparent or translucent source object and other source objects located at a lower layer than a layer including said transparent or translucent source object therein and spatially
20 overlapping said transparent or translucent source object.

22. The program as recited in claim 21, wherein generation of said new object from said transparent or translucent source object and said other source objects is performed for a time range in which said transparent
25 or translucent source object spatially overlaps said other source objects.

009021 59245460

23. The program as recited in claim 19, wherein said generation step deletes a source object when a display time for said source object is out of a display time range for said set of source objects.

5

24. The program as recited in claim 19, further comprising a step of storing said set of new objects to a storage medium.

25. The program as recited in claim 19, further comprising a step
10 of selectively storing said set of source objects or said set of new objects to a storage medium.

26. The program as recited in claim 19, further comprising a step
of displaying said set of new objects.

15

27. The program as recited in claims 19, further comprising a step of selectively displaying said set of source objects or said set of new objects.

653027 6346460

ABSTRACT OF THE DISCLOSURE

5

FIG. 1
(PRIOR ART)




FIG. 2
(PRIOR ART)




FIG. 3





FIG. 4



663021 634460

FIG. 5




FIG. 6




FIG.7

51

USE OF OPTIMIZATION FUNCTION

☒ ON
 ☐ OFF

USE FOR DISPLAY

☒ ON
 ☐ OFF

USE FOR SAVING

☐ ON
 ☒ OFF

005021 6246460

FIG. 8₆₁

OPTIMIZATION ANALYSIS CONTENTS	METHOD AND PROCESS NUMBERS
1. PLURAL OBJECTS SUPERIMPOSE, DISPLAY TIMES FOR OTHER OBJECTS ARE COMPLETELY INCLUDED WITHIN A DISPLAY TIME FOR THE UPPER MOST OBJECT, A SIZE OF THE UPPER MOST OBJECT IS LARGER THAN SIZES OF OTHER OBJECTS, AND THE UPPER MOST OBJECT HIDES OTHER OBJECTS EVEN CONSIDERING DISPLAY LOCATIONS	
1-1. THE UPPER MOST OBJECT IS NOT TRANSPARENT NOR TRANSLUCENT	PROCESS 1 FOR OTHER OBJECTS
1-2. IF THE UPPER MOST OBJECT IS TRANSPARENT OR TRANSLUCENT, THEN REMOVING THE UPPER MOST OBJECT AND ANALYZING THE ANALYSIS CONTENTS 1 FOR THE REMAINING PLURAL OBJECTS	
2. PLURAL OBJECTS SUPERIMPOSE IN TIME AND SPATIALLY, AND THE UPPER MOST OBJECT IS TRANSPARENT OR TRANSLUCENT	
2-1. A MOTION PICTURE IS CONTAINED	PROCESS 2 FOR ALL OBJECTS OVER THE ENTIRE SUPERIMPOSING TIME
2-2. NO MOTION PICTURE IS CONTAINED	PROCESS 3 FOR ALL OBJECTS OVER THE ENTIRE SUPERIMPOSING TIME
⋮	⋮
N. A DISPLAY TIME FOR AN OBJECT IS SET COMPLETELY EXCESSIVE THE WHOLE DISPLAY TIME RANGE	PROCESS 1 FOR THAT OBJECT

FIG. 9

71

PROCESS NUMBERS	OPTIMIZATION PROCESS CONTENTS
PROCESS 1	DELETING OBJECT
PROCESS 2	MAKING OVER A MOTION PICTURE CONSISTING OF PLURAL SUPERIMPOSED OBJECTS INTO A NEW MOTION PICTURE
PROCESS 3	MAKING OVER A STILL PICTURE CONSISTING OF PLURAL SUPERIMPOSED OBJECTS INTO A NEW STILL PICTURE
⋮ ⋮ ⋮	⋮ ⋮ ⋮
PROCESS N	CONTENTS N

FIG.10

81

<START OF DATA>

<DISPLAY ALL OF THE FOLLOWING DATA FROM 0 TO 10 MIN.>

<STILL PICTURE FILE AAA, DISPLAY FROM 5 MIN. TO 10 MIN., COORDINATES (10, 10), SIZE 20 x 30, PRIORITY 2>

<TEXT FILE BBB, DISPLAY FROM 7 MIN. TO 9 MIN., COORDINATES (10, 10), SIZE 10 x 10, PRIORITY 3>

<MOTION PICTURE FILE CCC, DISPLAY FROM 5 MIN. TO 10 MIN., COORDINATES (10, 10), SIZE 20 x 40, PRIORITY 1, TRANSLUCENT>

<MOTION PICTURE FILE DDD, DISPLAY FROM 15 MIN. TO 20 MIN., COORDINATES (0, 0), SIZE 10 x 10, PRIORITY 1>

<END OF DATA>

FIG.11


91

<START OF DATA>

<MOTION PICTURE FILE XXX, DISPLAY FROM 5 MIN. TO 10 MIN., COORDINATES (10, 10), SIZE 20 x 40, PRIORITY 1>

<END OF DATA>

FIG. 12



Declaration and Power of Attorney For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled APPARATUS AND METHOD FOR CONVERTING AN OBJECT DISPLAY DESCRIPTION DOCUMENT

the specification of which _____

(check one)

☒ is attached hereto.

☐ was filed on _____ as

Application Serial No. _____

and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority Claimed

350290/1998 Japan 09/12/1998
(Number) (Country) (Day/Month/Year Filed)

☒ Yes ☐ No

(Number) (Country) (Day/Month/Year Filed)

☐ Yes ☐ No

(Number) (Country) (Day/Month/Year Filed)

☐ Yes ☐ No

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)


(Status)
(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agents(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. Charles A. Laff (19787); J. Warren Whitesel (16830); Robert F. I. Conte (20354); Larry L. Saret (27674); Martin L. Stern (28911); Bernard L. Kleinke (22123); Louis Altman (19373); Barry W. Sufrin (27398); and _____

Send Correspondence to: LAFF, WHITESEL, CONTE & SARET, 401 North Michigan Avenue, Chicago, Illinois 60611.

Direct Telephone Calls to: J. Warren Whitesel
at telephone No. (312) 661-2100.

Full name of sole or first inventor	
Sachiko NISHIURA	
Inventor's signature	Date
<i>Sachiko Nishiura</i> 	December 1, 1999
Residence	
Tokyo, Japan	
Citizenship	
Japanese	
Post Office Address	
c/o NEC Corporation, 7-1, Shiba 5-chome, Minato-ku, Tokyo, Japan	
Full name of second joint inventor, if any	
Second Inventor's signature	
Date	
Residence	
Citizenship	
Post Office Address	

(Supply similar information and signature for third and subsequent joint inventors.)

663021 66244660